1 SEM TDC PHYH (CBCS) C 2

2021

(Held in January/February, 2022)

PHYSICS

(Core)

Paper: C-2

(Mechanics)

Full Marks: 53

Pass Marks: 21

Time: 3 hours

The figures in the margin indicate full marks for the questions

- 1. Choose the correct answer from the following: 1×5=5
 - (a) The angle of projection for a projectile whose equation of motion represented by $y = \frac{x}{\sqrt{3}} \frac{g}{20}x^2$ is given by

- (b) In case of perfectly inelastic collision
 - (i) momentum is not conserved, KE is conserved
 - (ii) momentum is conserved, KE is not conserved
 - (iii) both momentum and KE are conserved
 - (iv) both momentum and KE are not conserved
 - (c) Mass of a body measured by a spring balance is
 - (i) inertial mass
 - (ii) gravitational mass
 - (iii) both gravitational and inertial
 - (iv) None of the above

(d) If the displacement of a particle executing SHM is represented by

$$y = 10\sin\left(10t - \frac{\pi}{6}\right)$$

then maximum velocity of the

- (i) 10
- (ii) 100
- (iii) 60
- (iv) 600
- (e) A photon is moving with a velocity c in frame S' and S' is moving with velocity c relative to frame S, then the velocity of the photon as measured by an observer in frame S is
 - (i) 2c
 - (ii) c
 - (iii) c^2
 - (iv) None of the above

- 2. (a) Prove that the change in kinetic energy of a particle is equal to the work done on it.
 - (b) The position vector of a particle of mass m and angular velocity ω at any instant t is given by $\hat{r} = A\cos\omega t \hat{i} + A\sin\omega t \hat{j}$, where A is a constant. Prove that the force acting on it is conservative in nature.

Or

Show that the angular momentum of a body moving under the central force is a constant of motion.

(c) Two bodies of masses 10 gm and 5 gm have position vectors $(2\hat{i} + 3\hat{j} - \hat{k})$ and $(\hat{i} - \hat{j} + 3\hat{k})$ respectively. Determine the distance of the centre of mass from the origin.

Or

Show that for a simple harmonic oscillator the total mechanical energy is constant.

2

2

(d) Show that the moment of inertia of a body rotating about an axis with unit angular velocity is equal to twice the kinetic energy of rotation about that axis.

2

- (e) What is Poisson's ratio? Explain why its practical value cannot be negative. 1+1=2
- 3. Obtain the expression for the final velocity of a rocket moving in a constant gravitational field.

4

4. (a) Obtain the expression for the moment of inertia of a hollow cylinder about an axis passing through its centre and perpendicular to its own axis.

4

Or

State the general theorems on moment of inertia. Assuming earth to be a sphere of uniform density ρ and radius R, determine the moment of inertia of the earth about its axis of rotation. 2+2=4

(b) Prove that the acceleration of a body of circular symmetry rolling down in an inclined plane without slipping is independent of mass of the body.

3

5.	Write the main assumptions in deriving the	
	Folseuille's formula. Why this formula foile	
	in the case of a tube of wide bore? 2+1=	3

6. (a) Find an expression for the gravitational potential due to a solid sphere at the centre of the sphere.

Or

What is gravitational potential?

Describe how the gravitational potential and field due to a spherical shell vary with distance graphically. 1+3=4

- (b) What are geostationary and polar satellites? Which satellite can be used for remote sensing? 2+1=3
- 7. What is forced vibration? Obtain the steady-state function for such vibration. 1+4=5
- 8. Obtain an expression for Coriolis force for a particle moving with respect to a rotating frame.
- 9. (a) Describe the Michelson-Morley experiment and explain the physical significance of negative results.

22P/55

4

4

Or

Deduce	the	formula	for	relativistic	
variation	of m	nass with	veloc	city.	

4

(b) Show that the rest mass of a photon is zero.

2

(c) Find an expression for the relativistic length contraction.

2

* * *